

NRC Genrator Agreement w/County

Conditions of Use:

Generators for races as approved by the club
under the following conditions:

- 1.) All Generators must be pre-approved by the club and tagged with spill procedures and approval.
- 2.) No filling of the Personal Generators on site – (You must leave the premises to re-fuel if need be)
- 3.) Generators must be contained in a leak proof catch pan, plastic or metal- with mulch in the bottom. Generators will also be placed in a truck bed whenever possible to further protect from possible spillage.
- 4.) Trucks/Trailers must be parked in the top portion of the track on or near the black top area or at the furthest left side of the field, away from the test well.
- 5.) Generators are only to be running when in use.
- 6.) Generator owners must be willing to share the generator with fellow racers to minimize the number of generators needed.

NO authorization will be given to run generators on the day of the race.

We must be notified prior to the event.

Name: _____

- 1.) Will you be bringing a trailer and a generator or just a generator?
- 2.) How many watts is your generator?
- 3.) How many people will be pitting with you?
- 4.) Will you be able to put the generator in the back of a pick-up (Please remember that the generator still needs to go in a catch pan.)
- 5.) Will you be bringing your own catch pan or will we need to supply one to you?



**Method #1
Pan/Mulch/Pick-up**

- Generator is not to be fueled at the NRC track.
- Plastic or metal pan (no leaks) to be filled with mulch covering the entire bottom of the pan.
- Generator to be placed on top of pan & mulch
- Entire set up to be placed in the bed of a pick-up to provide extra protection
- Generator to be tagged with spill procedures
- Generator to run only when needed.
- Owners of the generator must be willing to share the generator with others to minimize the number of generators in use.



**Method # 2
Pan/Mulch**

- Generator is not to be fueled at the NRC track.
- Plastic or metal pan (no leaks) to be filled with mulch covering the entire bottom of the pan.
- Generator to be placed on top of pan & mulch
- Generator to be tagged with spill procedures
- Generator to run only when needed.
- Owners of the generator must be willing to share the generator with others to minimize the number of generators in use.

Fuel Spill Procedure

**NOTICE: THE FOLLOWING ACTIONS ARE REQUIRED IN THE
CASE OF A FUEL OR HAZARDOUS LIQUID SPILL!**

1. Shovel wet mulch (or dirt if any) into a containment bag.
2. Use PIG Spill pads to soak up any liquid.
3. **Alert NRC Member** about the spill.
4. Place spill kit sponge/wet mulch in containment bag.
5. Take nearest shovel and dig up the ground if it is wet from the spill.
6. Remove any fuel saturated dirt/mulch/PIG pads from NRC's property immediately!!!!!!!!!!!!!!!!!!!!

*****Please be aware of the Water Table Testing Wells located on NRC's property. We must be extremely vigilant about liquids entering the wells *****